Cleaners and Allied Independent Workers TRADE UNION PROTEST

LOCATION: 1 RATHBONE SQUARE FITZROVIA, LONDON, W1T 1FB

DATE: FRIDAY 9th OCTOBER

PEACEFUL PROTEST IN A PUBLIC PLACE RISK ASSESSMENT INCL COVID-19 ASSESSMENT

BY

S C PHILLIPS, BA, DipSM, MIIRSM RISK ASSESSMENT COMPANY(UK) LTD 01964 564070

ALSO REFER MPS Commander Public Order Open letter to persons organising and/or participating in public gatherings – NOT DATED – see attached

PROTEST LOCATION	1 RATHBONE SQUARE FITZROVIA, LONDON, W1T 1FB	MEMBER NUMBERS / Persons at risk TENANT NUMBERS	UP TO 50 MAXIMUM UNION PROTESTERS
HOURS OF PROTEST		NAME OF LANDLORD / MANAGING AGENT	N/A
PERSONS AT RISK:	UNION MEMBERS AND FAMILY ON THE PROTEST, ATTENDING POLICE OFFICERS, MEMBERS OF THE EMERGENCY SERVICES, PUBLIC, WITH THE POTENTIAL FOR DISABLED PERSONS, YOUNG PERSONS INCL CHILDREN AND NEW AND EXPECTANT MOTHERS	Assessment Reference No	PROTEST#1 OCT 2020

ASSESSOR NAME / Date **REVIEW DATE**

OCT 2020 S PHILLIPS, RA Co (UK) LTD

AFTER ANY SIGNIFICANT INCIDENT / ILLNESS AND END OF PROTEST

The Overall Risk Rating for the Protest Activity is LOW / MEDIUM when considering;

- Low Attendance Numbers,
- External Location Size that allows for Social Distancing (>2m) to be achieved / maintained, plus

 Mandatory Face Covering Use at all times and providing (The facemasks have three different layers of fabric: the front one is printable polyester and features the logo, the second is the filter which is antiallergenic and
 protects against viruses, bacteria and pollution, and the last is cotton for comfort. All these fabrics are completely washable.)

 Compliance with the Controls identified below in Section 3

SECTION 1: Identify Hazards Consider the activity or work area and identify the hazards which may be significant

Insert X in the applicable boxes in the table below – remain alert to other hazards NOT listed

Mechanical and Work Equipme	ent Electricity	Site / Plac	e of work	Site / Place	e of work	Hazardous Chemicals	Fire and Explosion
Entanglement/ crushing/trapping	Portable appliance testing	Site Entry Information Signage		Traffic Routes / Parking Directional Signage		Use of Hazardous / Flammable substances	Security / Access Controls / CCTV
Friction/abrasion/ impact	Portable tools	Slips, trips & falls (items or persons)	Х	Collision Vehicles / Pedestrians	Х	Risk of spillage / Containment	Emergency Instruction Signage
Cutting / shearing / stabbing	Trailing leads	Access / egress/ restricted height		Grounds / Common Area Maintenance / Cleanliness		Unidentified substance	Fire alarm / detection / emergency lighting / maintenance
Ejection / flying objects	Electric shock	Obstruction er projections	Х	Workstation / DSE Assessment		Disposal of materials / substances	Fire Door maintenance
Poor / lack of maintenance	In Date Mains Installation Condition Report	External / Internal Lighting		Housekeeping / cleanliness / signage		Fuels incl Gas Systems	Fire training / procedures
							Lightning Protection

Biolo	gical	Hea	alth	Organis	ational	Indiv	ridual	Enviror	nmental	Oth	ers
Fungal		Manual handling		Lack of supervision	Х	Violence / aggression	x	Noise		Welfare	Х
Viral		Legionella		Lack of training	x	Contact with public and others	x	Drains / Spillage		First aid	×
Bacterial		Food poisoning		Lack of information	x	Individual experience		Storage		Lack of PPE	x
Needlestick/ sharps		Dermatitis		Unsafe systems		Lone working		Waste Disposal incl sanitary waste		Security / Theft	x
Excrement (animal and other)		Stress		Unsuitable equipment		Physical effort and long hours		Foliage		Vermin Control	
Animal bites		COVID-19	×			Unsafe behaviour	x	Inclement Weather	x	Asbestos	
										Flood	

SECTION 2: RISK SCORE MATRIX

RISK RATING MATRIX (RR)	LIKELIHOOD (L)					
SEVERITY (S)	Certain or near certain to occur (High) (3)	Reasonably likely to occur (Medium) (2)	Unlikely to occur (Low) (1)			
Extremely Harmful (3) RIDDOR / Fatality or illness causing long term disability (Time Lost > 7 Days) Extensive loss / damage / business interruption Massive leak / spill [Public concern]	HIGH (H) (9)	HIGH (H) (6)	MEDIUM (M) (3)			
Harmful (2) First Aid Req'd Time Lost < 7 Days Partial Shutdown / business interruption Moderate Leak or Spill (Statutory Non Compliance)	HIGH (H) (6)	MEDIUM (M) (4)	LOW (L) (2)			
Slightly Harmful (1) Minor Injury – Non Permanent Minor Delay / business interruption Minor Spill / Leak	MEDIUM (M) (3)	LOW (L) (2)	LOW (L) (1)			

What are the hazards?	Who might be harmed and how?	Controls by union members in attendance	What further actions do you need to consider to control the risk?	Who needs to carry out the action?	When is the action needed by?
Catching or spreading COVID-19 by not washing hands or not washing them adequately Catching or spreading coronavirus in common use high pedestrian traffic areas such as public transport use, final protest location Injury / violence	Union members protesting Members of the public	Ensure no-one is in attendance who is / has:	Brief all Members who intend to attend the protest prior to October 9th, on all protest behavioural controls Provide / make available a copy of this RA to everyone attending the protest Provide individual hand sanitisers Identify marshals (Alberto Durango and Luz Acevedo) / Emergency First Aid Workers with differing High Visibility Vests — Orange Identify all protestors by mandatory wearing of yellow High Visibility Vests Consider increased number of marshals to prevent Social Distancing non-compliance as a while crowd Recommend all attendees download the NHS Trace & Test App: https://www.nhs.uk/apps-library/nhs-covid-19/	Union Reps	October 8th

FINAL APPROVAL OF RISK CONTROL Y / N	NEXT REVIEW DATE: N/A	NEXT REVIEW DATE: N/A
ASSESSOR NAME:SC PHILLIPS RA CO	UNION ORGANISER / REPRESENTATIVES NAMES:	
ASSESSOR MANUELSC I TILLEII S NA CO	Alberto Durango; Luz Acevedo	

Distributed to all Union Members Protest Attendees and

Westminster City Council and Met Operations - PUBLIC ORDER & RESOURCING (MO6).